


lncRNA Xist Regulates Osteoblast Differentiation by Sponging miR-19a-3p in Aging-induced Osteoporosis

Shijie Chen^{1,2}, Yuezhan Li¹, Shuang Zhi⁴, Zhiyu Ding¹, Yan Huang⁵, Weiguo Wang¹, Ruping Zheng⁶, Haiyang Yu⁶, Jianlong Wang¹, Minghua Hu³, Jinglei Miao^{1*}, Jinsong Li^{1*}

¹Department of Orthopaedics, The Third Xiangya Hospital of Central South University, Changsha, China. ²Shanghai Key Laboratory of Regulatory Biology, Institute of Biomedical Sciences and School of Life Sciences, East China Normal University, Shanghai, China. ³Department of Anatomy, Histology and Embryology, Changsha Medical University, Changsha, China. ⁴Four Gynecological Wards, Ningbo Women & Children's Hospital, Ningbo, Zhejiang, China. ⁵The Second Xiangya Hospital of Central South University, Changsha, China. ⁶School of Basic Medical Science, Central South University, Changsha, China.

SUPPLEMENTARY DATA



Supplementary Figure 1. The expression of Hoxa5 and Xist in BMSCs from the miR-19a-3p tg and KO mice. (A) The mRNA expression of Hoxa5 in BMSCs from the miR-19a-3p tg and KO mice. **(B)** The expression of Xist in BMSCs from the miR-19a-3p tg and KO mice. Data shown as mean \pm SD. * $p < 0.05$.