

SUPPLEMENTARY DATA

**Community-Based Ocular Screening Integrated into
Primary Healthcare for Older Adults: Design and 2-Year
Follow-Up Results**

**Gu Zheng, Shiqi Hu, Yiming Zhao, Yanyan Lin, Hairui Jiao, Wanwan He, Tianhao Huang,
Shilei Wang, Cong Ye, Meixiao Shen, Ming Li , Jie Chen, Xinting Liu, Fan Lu**

SUPPLEMENTARY DATA

Supplementary Table. Baseline characteristics by referral completion status

Characteristic	Referral completion (n=151)	No referral completion (n=1528)	P Value
Age at baseline, y	69.9±6.1	70.9±6.6	0.061
Gender,			0.533*
Male	64 (42.4%)	688 (45.0%)	
Female	87 (57.6%)	840 (55.0%)	
Body Mass Index	24.9±3.2	24.4±3.3	0.107
Diabetes	52 (34.4%)	537 (35.1%)	0.862*
Hypertension	102 (67.5%)	1107 (72.4%)	0.201*
Exercise	85 (56.3%)	809 (52.9%)	0.432*
Current smoking	17(11.3%)	184 (12.0%)	0.777*
History of alcohol	51 (33.8%)	569 (37.2%)	0.400*

Referral completion was defined as attending the hospital-based ophthalmology evaluation following a positive screening result. Data are presented as mean ± standard deviation and number (%). Boldface values indicate statistical significance. P values were obtained from independent *t*-tests, except those marked * (χ^2 tests). BMI: body mass index.